Author Index

Agarwal, M.	Output prediction in systems with backlash	17–26
Atkinson, R. M.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Bartlett, H.	Analogue solution to the modelling and simulation of distributed–lumped parameter systems	99–114
Bartlett, H.	Distributed rotor dynamics	249–265
Bartoszewicz, A.	Application of non-linear H_∞ control to the Tetrabot robot manipulator	459–465
Boller, Chr.	State of the art and trends in using smart materials and systems in transportation vehicles	149–158
Brennan, M. J.	Design of smart machinery installations to reduce transmitted vibrations by adaptive modification of internal forces	215–238
Brookfield, D. J.	Robot torque and position control using an electrorheological actuator	229–238
Burrows, C. R.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Caliskan, F.	Real-time implementation of an algorithm for self-repairing control systems based on LQG optimization	27–36
Chan, A. B.	Control chart pattern recognition using a new type of self-organizing neural network	115–127
Chen, C.-L.	Motion planning of redundant robot manipulators using constrained optimization: a parallel approach	281–292
Chotai, A.	Proportional-integral-plus (PIP) control of time delay systems	37–48
Chou, J.-H.	Regional eigenvalue clustering robustness analysis for singular systems with structured parameter perturbations	467–471
Connor, A. M.	A Tabu search method for the optimization of fluid power circuits	373–381
Corbett, J.	Smart machine tools	203–213
Crowther, W. J.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Culshaw, B.	Condition monitoring in composite materials: an integrated systems approach	189–202
Daley, S.	On-line optimization of unknown non-linear systems using a correlation–integration method	473–477
Dill, M. J.	The long-term monitoring of civil engineering and building structures—developments in techniques for monitoring corrosion in reinforced and post-tensioned concrete	175–188
Dlodlo, Z. B.	Robot torque and position control using an electrorheological actuator	229–238
Drew, J. E.	Theoretical analysis of pressure and flow ripple in flexible hoses containing tuners	405–422
Edge, K. A.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Edge, K. A.	A method to reduce noise in hydraulic systems by optimizing pipe clamp locations	267–280
Elliott, S. J.	Design of smart machinery installations to reduce transmitted vibrations by adaptive modification of internal forces	215–228
Fang, Y.	New robust stability results for linear systems with structured non-linear perturbations	241–247
Favre, W.	A representation for planar point contact joints in the multibody mechanical bond graph library	305–313
Fees, G.	Examination of flow behaviour of electrorheological fluids in the flow mode	159–173
Gilmartin, M. J.	Application of learning to high-speed robotic manipulators	315–323
Hammersley, G. P.	The long-term monitoring of civil engineering and building structures—developments in techniques for monitoring corrosion in reinforced and post-tensioned concrete	175–188
Ho, S. L.	Robustness enhancement of an optimal fuzzy control electrical position servo system by a novel model-following approach	449–458
Hu, T.	On optimizing performance indices with pole assignment constraints	327–337
Huang, S.-J.	A robotic motion controller using a self-organizing fuzzy logic algorithm with grey prediction	293–304
Hyun, J. H.	Optimization of feedback gains for a hydraulic servo system by genetic algorithms	395–401
Johnston, D. N.	Theoretical analysis of pressure and flow ripple in flexible hoses containing tuners	405–422
Kang, Y.-H.	Self-tuning proportional, integral and derivative controller based on genetic algorithm least squares	437–448
Kirecci, A.	Application of learning to high-speed robotic manipulators	315–323

© IMechE 1998

Author Index

Agarwal, M.	Output prediction in systems with backlash	17–26
Atkinson, R. M.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Bartlett, H.	Analogue solution to the modelling and simulation of distributed–lumped parameter systems	99–114
Bartlett, H.	Distributed rotor dynamics	249–265
Bartoszewicz, A.	Application of non-linear H_∞ control to the Tetrabot robot manipulator	459–465
Boller, Chr.	State of the art and trends in using smart materials and systems in transportation vehicles	149–158
Brennan, M. J.	Design of smart machinery installations to reduce transmitted vibrations by adaptive modification of internal forces	215–238
Brookfield, D. J.	Robot torque and position control using an electrorheological actuator	229–238
Burrows, C. R.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Caliskan, F.	Real-time implementation of an algorithm for self-repairing control systems based on LQG optimization	27–36
Chan, A. B.	Control chart pattern recognition using a new type of self-organizing neural network	115–127
Chen, C.-L.	Motion planning of redundant robot manipulators using constrained optimization: a parallel approach	281–292
Chotai, A.	Proportional-integral-plus (PIP) control of time delay systems	37–48
Chou, J.-H.	Regional eigenvalue clustering robustness analysis for singular systems with structured parameter perturbations	467–471
Connor, A. M.	A Tabu search method for the optimization of fluid power circuits	373–381
Corbett, J.	Smart machine tools	203–213
Crowther, W. J.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Culshaw, B.	Condition monitoring in composite materials: an integrated systems approach	189–202
Daley, S.	On-line optimization of unknown non-linear systems using a correlation–integration method	473–477
Dill, M. J.	The long-term monitoring of civil engineering and building structures—developments in techniques for monitoring corrosion in reinforced and post-tensioned concrete	175–188
Dlodlo, Z. B.	Robot torque and position control using an electrorheological actuator	229–238
Drew, J. E.	Theoretical analysis of pressure and flow ripple in flexible hoses containing tuners	405–422
Edge, K. A.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Edge, K. A.	A method to reduce noise in hydraulic systems by optimizing pipe clamp locations	267–280
Elliott, S. J.	Design of smart machinery installations to reduce transmitted vibrations by adaptive modification of internal forces	215–228
Fang, Y.	New robust stability results for linear systems with structured non-linear perturbations	241–247
Favre, W.	A representation for planar point contact joints in the multibody mechanical bond graph library	305–313
Fees, G.	Examination of flow behaviour of electrorheological fluids in the flow mode	159–173
Gilmartin, M. J.	Application of learning to high-speed robotic manipulators	315–323
Hammersley, G. P.	The long-term monitoring of civil engineering and building structures—developments in techniques for monitoring corrosion in reinforced and post-tensioned concrete	175–188
Ho, S. L.	Robustness enhancement of an optimal fuzzy control electrical position servo system by a novel model-following approach	449–458
Hu, T.	On optimizing performance indices with pole assignment constraints	327–337
Huang, S.-J.	A robotic motion controller using a self-organizing fuzzy logic algorithm with grey prediction	293–304
Hyun, J. H.	Optimization of feedback gains for a hydraulic servo system by genetic algorithms	395–401
Johnston, D. N.	Theoretical analysis of pressure and flow ripple in flexible hoses containing tuners	405–422
Kang, Y.-H.	Self-tuning proportional, integral and derivative controller based on genetic algorithm least squares	437–448
Kirecci, A.	Application of learning to high-speed robotic manipulators	315–323

© IMechE 1998

Kremer, G. G.	A bifurcation-based procedure for designing and analysing robustly stable non-linear hydraulic servo systems	383–394
Krishnan, S. M.	Design of an output amplitude-constrained discrete-time control system	339–344
Kwong, A. H. M.	A method to reduce noise in hydraulic systems by optimizing pipe clamp locations	267–280
Lam, J.	On optimizing performance indices with pole assignment constraints	327–337
Le, T. T.	Fault classification of fluid power systems using a dynamics feature extraction technique and neural networks	87–97
Lee, C. O.	Optimization of feedback gains for a hydraulic servo system by genetic algorithms	393–401
Lee, J.-S.	A robotic motion controller using a self-organizing fuzzy logic algorithm with grey prediction	293–304
Li, G.	Robustness enhancement of an optimal fuzzy control electrical position servo system by a novel model-following approach	449–458
Li, Q.	An enhanced computer-torque control algorithm for robot manipulators	11–15
Li, Q.	Trajectory tracking control of robot manipulators using a neural-network-based torque compensator	361–372
Liao, W.-H.	Regional eigenvalue clustering robustness analysis for singular systems with structured parameter perturbations	467–471
Lin, C.-J.	Motion planning of redundant robot manipulators using constrained optimization: a parallel approach	281–292
Liu, G. P.	Generic parametric controller design using output feedback eigenstructure assignment	71–78
Liu, G. P.	On-line optimization of unknown non-linear systems using a correlation–integration method	473–477
Long, T.	Design of smart machinery installations to reduce transmitted vibrations by adaptive modification of internal forces	215–228
Longmore, D. K.	Theoretical analysis of pressure and flow ripple in flexible hoses containing tuners	405–422
Lucas, T. N.	Discrete-time least-squares Padé order reduction: a stability preserving method	49–56
Mouroutsos, S. G.	Genetic design of dynamically optimal robotic manipulators	423–436
Mustafa, M. M.	Fuzzy deadband compensator	1–10
Papakostas, K. D.	Genetic design of dynamically optimal robotic manipulators	423–436
Patton, R. J.	Generic parametric controller design using output feedback eigenstructure assignment	71–78
Pham, D. T.	Fault classification of fluid power systems using a dynamics feature extraction technique and neural networks	87–97
Pham, D. T.	Control chart pattern recognition using a new type of self-organizing neural network	115–127
Pierce, S. G.	Condition monitoring in composite materials: an integrated systems approach	189–202
Poo, A. N.	An enhanced computer-torque control algorithm for robot manipulators	11–15
Porter, B.	Genetic design of dynamically optimal robotic manipulators	423–436
Postlethwaite, I.	Application of non-linear H_∞ control to the Tetrabot robot manipulator	459–465
Scavarda, S.	A representation for planar point contact joints in the multibody mechanical bond graph library	305–313
Schenker, B.	Output prediction in systems with backlash	17–26
Schwarz, H.	Output feedback stabilization of hydraulic drives based on bilinear approximations and canonical observers	79–85
Sebusang, S. E. M.	Gain bounds in the minimal controller synthesis algorithm	345–360
Smith, I. D.	Discrete-time least-squares Padé order reduction: a stability preserving method	49–56
Staszekski, W. J.	Condition monitoring in composite materials: an integrated systems approach	189–202
Stoten, D. P.	Gain bounds in the minimal controller synthesis algorithm	345–360
Taylor, C. J.	Proportional-integral-plus (PIP) control of time delay systems	37–48
Thompson, D. F.	A bifurcation-based procedure for designing and analysing robustly stable non-linear hydraulic servo systems	383–394
Tilley, D. G.	A Tabu search method for the optimization of fluid power circuits	373–381
Tsang, K. M.	Robustness enhancement of an optimal fuzzy control electrical position servo system by a novel model-following approach	449–458
Tso, S. K.	An enhanced computer-torque control algorithm for robot manipulators	11–15
Tso, S. K.	Trajectory tracking control of robot manipulators using a neural-network-based torque compensator	361–372
Warwick, K.	Self-tuning proportional, integral and derivative controller based on genetic algorithm least squares	437–448
Watton, J.	Fault classification of fluid power systems using a dynamics feature extraction technique and neural networks	87–97
Whalley, R.	Analogue solution to the modelling and simulation of distributed–lumped parameter systems	99–114
Whalley, R.	Mechanical system regulation using matrix quadratic models—a review	129–147

© IMechE 1998

Whalley, R.	Distributed rotor dynamics	249–265
Wolff-Jesse, C.	Examination of flow behaviour of electrorheological fluids in the flow mode	159–173
Woollons, D. J.	Fault diagnosis of a hydraulic actuator circuit using neural networks—an output vector space classification approach	57–68
Young, P. C.	Proportional-integral-plus (PIP) control of time delay systems	37–48
Zhang, W. J.	Trajectory tracking control of robot manipulators using a neural-network-based torque compensator	361–372
Zhu, K. Y.	Design of an input amplitude-constrained discrete-time control system	339–344

© IMechE 1998